EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	97	713/192.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L5	1060	713/193.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:47
L14	373	713/194.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L15	635	380/201.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L16	140	380/217.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:47
L17	6399	(package or circuit or chip or module or board or IC) with key$3 with (overwritten or erasabl$3 or nonerasabl$3 or nonremov$4 or remov$4 or permanent$3 or unerasabl$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:46
L18	2566	L17 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L19	209	L18 and encrypt$3 and (digital with (content or movie or data or video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57

L20	27	L19 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:58
L21	4641193	(fuse with DRAM manufactur$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L22	2164	L17 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L23	984	L22 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L24	134	L23 and encrypt$3 and (digital with (content or movie or data or video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:57
L25	27	L20 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:58
L26	15	L24 and (L4 or L5 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:24
L27	12	L20 not L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:40

L28	182	L19 not (L26 or L20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 15:41

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	410	(permanent or ((cannot or impossible) near4 (overwritten or replac$4 or chang$3 or modif$3 or alter$3 or eras$3 or erasabl$3))) with key with (package or circuit or IC or board or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:57
L2	183	L1 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:58
L3	43	L2 and (encrypt$3 near4 key$3) and (digital with (content or data or movie or video))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:12
L4	3	L3 and fus$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
L5	10	"5452355" and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:40
L6	0	L5 and fus$4 and encrypt$3 and key$3 and (settop or (set near3 top) or DVI or DVR or (cable near3 (box or module or device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:42
L7	2	L5 and fus$4 and encrypt$3 and key$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:42
L8	12	fus$4 with key with encrypt$3 with (circuit or package or module or IC or board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 17:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040078584"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L2	4	"20020150248" "20020164022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L3	2	("6934389").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L4	97	713/192.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L5	1060	713/193.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L6	42028	(second or two or "next" or subsequent$3 or another or follow$3) with (device or IC or microprocessor or smartcard or settop or (set with top) or interchip or (smart near2 card) or (integrat$3 near3 chip) or micro or EEPROM or EPROM or RAM) with key$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L7	4	(("6236727") or ("6289455")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10

L8	135	(DVD and copying and illegal).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L9	10	L8 and ("1394" and interface).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L10	18	("content scrambling system").ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L11	2	L10 and (decryption and copyrighted). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L12	62	"6236727" "6256391"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L13	4	(("6236727") or ("6256391")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L14	373	713/194.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L15	635	380/201.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

EAST Search History

L16	140	380/217.ccls. and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L17	2014	(L5 or L4 or L14 or L15 or L16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L18	52917	(encrypt$3 or cipher$3) with (engine or processor or computer or device or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L19	134	(digital with content) and "1394" and (((overwrit$3 or rewritten or rewrote or delet$3 or reuse) with (protect$3 or guard$3 or tamper$3)) or (tamper with proof) with key$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L20	28325	(first or initial or primary) with (device or IC or microprocessor or smartcard or settop or (set with top) or interchip or (smart near2 card) or (integrat$3 near3 chip) or micro or EEPROM or EPROM or RAM) with key$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L21	5169	L20 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L22	15	L21 and L6 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L23	88	"6236727" "6289455"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

L24	62	(L23 or L12) and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L25	21	L24 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L26	27	"6289455" and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L27	23	L26 and (digital and content and key$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L28	276	(settop or (set near2 top)) with key$3 with (decrypt$3 or decrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L29	7	L22 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L30	34	L28 and "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L31	14	L30 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

L32	470	(settop or (set near2 top) or DVR) with (key$3 or CW) with (decrypt$3 or encrypt$3 or descrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L33	63	L32 and "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L34	26	L33 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L35	16	interchip and (digital with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L36	310	(settop or (set near2 top) or DVR) with (key$3 or CW) with (decrypt$3 or encrypt$3 or descrambl$3 or decod$3 or decipher$3) and (digital with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L37	113	L36 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L38	386	(interchip or ((inner or inside or board) with (circuit or IC or microprocessor or smartcard or chip or micro or EEPROM or PROM or EPROM or RAM))) and (digital with content with (protect$3 or guard$3 or prevent$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L39	146	L38 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

EAST Search History

L40	22	L39 and "1394"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L41	11	("6256391").URPN.	USPAT	OR	ON	2007/08/06 14:10
L42	2	"6782477"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L43	12	(("5134700") or ("4864615") or ("4933898") or ("6532593") or ("6959089") or ("6961427")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L44	6	(("7062658") or ("6782477") or ("6697489")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L45	2	"20030051151"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L46	8	(L45 or L44)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L47	2	("6697489").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L48	2	"20030188162"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

L49	2	L48 and (((lock$3 or program$5 or fuse or fus$4) with (((set near4 top) or settop or "set-top" or DVR) or (smart near2 card) or headend or smartcard or PROM or EPROM or EEPROM) or harddrive or drive or disk or RAM or circuit or descrabler or IC))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L50	1299	((fusable near4 link$3) or ((PROM or fuse) with program$5)) and (EMM or CW or (set near2 top) or "set-top" or settop or VDR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L51	1015	L50 and ((set near4 top) or settop or "set-top" or DVR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L52	476	L51 and @ad<"20020823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L53	122	L52 and (fuse or fusable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L54	5	L53 and (digital near4 content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L55	2	"20030051151"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L56	3	(fusable near4 link$3) and (EMM or CW or (set near2 top) or "set-top" or settop or VDR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

L57	6	(("7062658") or ("6782477") or ("6697489")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 14:10
L58	8	(L55 or L57)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L59	0	L58 and fus$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L60	11	L53 and (cable with television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L61	2	L48 and (((lock$3 or program$5 or fuse or fus$4) with (((set near4 top) or settop or "set-top" or DVR) or (smart near2 card) or headend or smartcard or PROM or EPROM or EEPROM)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L62	2	(L48 or L47) and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L63	2	(L48 or L47) and (one with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10
L64	2	(L48 or L47) and (bit or byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:10

IEEE Xplore®
RELEASE 2.4

❑ **Search Results**

Results for "(((cable and key and protection)<in>metadata)) <and> (pyr >= 1950 <and> pyr <..."   ✉ e-mail 🖶 printer friendly

Your search matched **20** of **1625854** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

Underline{View Session History}

Underline{New Search}

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((cable and key and protection)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 20 | **Search** ›

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[**view selected items**]   **Select All Deselect All**

☐ 1. **Choice of cable for subsea power links**
Jeffs, M.D.;
Power Engineering Society Winter Meeting, 2000. IEEE
Volume 1, 23-27 Jan. 2000 Page(s):571 vol.1
Digital Object Identifier 10.1109/PESW.2000.850032

AbstractPlus | Full Text: PDF(56 KB)   **IEEE CNF**
Rights and Permissions

☐ 2. **A key transport protocol based on secret sharing applications to information security**
Eskicioglu, A.M.; Delp, E.J.;
Consumer Electronics, IEEE Transactions on
Volume 48, Issue 4, Nov 2002 Page(s):816 - 824
Digital Object Identifier 10.1109/TCE.2003.1196407

AbstractPlus | Full Text: PDF(677 KB)   **IEEE JNL**
Rights and Permissions

☐ 3. **Cable design for subsea power links**
Attwood, J.R.;
Power Engineering Review, IEEE
Volume 20, Issue 9, Sep 2000 Page(s):13 - 14, 21
Digital Object Identifier 10.1109/39.866861

AbstractPlus | Full Text: PDF(240 KB)   **IEEE JNL**
Rights and Permissions

☐ 4. **Global standardization efforts of BWA systems based on cable modem**
Arunachalam, A.;
Emerging Technologies Symposium: Broadband, Wireless Internet Access, 2000 IEEE
10-11 April 2000 Page(s):4 pp.
Digital Object Identifier 10.1109/ETS.2000.916510

AbstractPlus | Full Text: PDF(236 KB)   **IEEE CNF**
Rights and Permissions

☐ 5. **The evolution of service protection in the BT network**
Davidson, J.; Hawker, I.; Cochrane, P.;
Global Telecommunications Conference, 1989, and Exhibition. 'Communications Technology for the 1990s and Beyond'. GLOBECOM '89., IEEE
27-30 Nov. 1989 Page(s):835 - 839 vol.2
Digital Object Identifier 10.1109/GLOCOM.1989.64080

AbstractPlus | Full Text: PDF(332 KB)   **IEEE CNF**
Rights and Permissions

6. **New Data Bus Interface Technique**
   Kyong H. Lee; Maschhoff, R.H.;
   Aerospace and Electronic Systems, IEEE Transactions on
   Volume AES-21, Issue 3, May 1985 Page(s):379 - 384
   Digital Object Identifier 10.1109/TAES.1985.310568

   AbstractPlus | Full Text: PDF(1665 KB)   IEEE JNL
   Rights and Permissions

7. **Lightning currents coupling to metal tubes**
   Grcev, L.; Arnautovski, V.;
   Telecommunications Energy Conference, 1993. INTELEC '93. 15th International
   Volume 2, 27-30 Sept. 1993 Page(s):187 - 192 vol.2

   AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF
   Rights and Permissions

8. **On the numerical studies of quench in cable-in-conduit conductors**
   Bottura, L.; Shajii, A.;
   Applied Superconductivity, IEEE Transactions on
   Volume 5, Issue 2, Part 1, Jun 1995 Page(s):495 - 498
   Digital Object Identifier 10.1109/77.402574

   AbstractPlus | Full Text: PDF(292 KB)   IEEE JNL
   Rights and Permissions

9. **Design methods and actual performances of conductors for the superconducting coils of tokamaks**
   Turck, B.; Bessette, D.; Ciazynski, D.; Duchateau, J.L.;
   Fusion Engineering, 1993., 15th IEEE/NPSS Symposium on
   Volume 2, 11-15 Oct. 1993 Page(s):667 - 670 vol.2
   Digital Object Identifier 10.1109/FUSION.1993.518417

   AbstractPlus | Full Text: PDF(360 KB)   IEEE CNF
   Rights and Permissions

10. **Estimates of lightning-induced voltage stresses within buried shielded conduits**
    Tesche, F.M.; Kalin, A.W.; Brandli, B.; Reusser, B.; Ianoz, M.; Tabara, D.; Zweiacker, P.;
    Electromagnetic Compatibility, IEEE Transactions on
    Volume 40, Issue 4, Part 2, Nov. 1998 Page(s):492 - 504
    Digital Object Identifier 10.1109/15.736209

    AbstractPlus | References | Full Text: PDF(772 KB)   IEEE JNL
    Rights and Permissions

11. **Magnet system design with cost optimization**
    Prestemon, S.; Miller, J.; Eyssa, Y.; Green, M.;
    Applied Superconductivity, IEEE Transactions on
    Volume 10, Issue 1, March 2000 Page(s):1356 - 1359
    Digital Object Identifier 10.1109/77.828489

    AbstractPlus | Full Text: PDF(200 KB)   IEEE JNL
    Rights and Permissions

12. **Failure of the London Underground's 22 kV power supply system: An exercise in logic and transport management**
    Allan, J.; Mellitt, B.; Field, C.;
    Electric Power Applications, IEE Proceedings-
    Volume 147, Issue 4, July 2000 Page(s):273 - 280
    Digital Object Identifier 10.1049/ip-epa:20000518

    AbstractPlus | Full Text: PDF(844 KB)   IET JNL

13. **Detection of resistive transitions in LHC superconducting components**
    Denz, R.; Rodriguez-Mateos, F.;
    Particle Accelerator Conference, 2001. PAC 2001. Proceedings of the 2001
    Volume 5, 18-22 June 2001 Page(s):3445 - 3447 vol.5
    Digital Object Identifier 10.1109/PAC.2001.988139

    AbstractPlus | Full Text: PDF(245 KB)   IEEE CNF
    Rights and Permissions

14. Transient effects during 120 VDC spacecraft high voltage DC fuse clearing
Keys, D.J.; Ho, R.; Scolese, C.J.; Wingard, R.B.; Tasca, D.M.; Bortulin, M.J.; Ferrara, A.A.; Longcoy, D.F.;
Energy Conversion Engineering Conference, 1997. IECEC-97. Proceedings of the 32nd Intersociety
Volume 1, 27 July-1 Aug. 1997 Page(s):364 - 369 vol.1
Digital Object Identifier 10.1109/IECEC.1997.659215

AbstractPlus | Full Text: PDF(568 KB)   IEEE CNF
Rights and Permissions

15. Single loss of phase tests at 33 kV on operating windfarms
Nicholson, G.D.;
Embedded Generation on Distribution Networks (Digest No. 1996/194), IEE Colloquium on the Impact of
15 Oct. 1996 Page(s):7/1 - 7/8

AbstractPlus | Full Text: PDF(424 KB)   IET CNF

16. Resilience for IP-over-DWDM backbone networks
Veitch, P.;
Electronics & Communication Engineering Journal
Volume 14, Issue 1, Feb. 2002 Page(s):39 - 48

AbstractPlus | Full Text: PDF(935 KB)   IET JNL

17. Practical case study of remote and local powering system for hybrid fibre-coaxial (HFC) networks
Alvarez, E.; Ruiz, F.M.; Corral, J.; Manso, J.; Bustos, D.; Martin, F.; Fornis, A.;
Telecommunications Energy Conference, 2001. INTELEC 2001. Twenty-Third International
14-18 Oct. 2001 Page(s):294 - 300

AbstractPlus | Full Text: PDF(947 KB)   IEEE CNF
Rights and Permissions

18. Power system architecture's for the emerging information highway
Cividino, L.;
Telecommunications Energy Conference, 1994. INTELEC '94., 16th International
30 Oct.-3 Nov. 1994 Page(s):90 - 97
Digital Object Identifier 10.1109/INTLEC.1994.396606

AbstractPlus | Full Text: PDF(424 KB)   IEEE CNF
Rights and Permissions

19. Practical case study of remote and local powering system for hybrid fibre-coaxial (HFC) networks
Alvarez, E.; Ruiz, F.M.; Corral, J.; Manso, J.; Bustos, D.; Martin, F.; Fornis, A.;
Telecommunications Energy Conference, 2001. INTELEC 2001. Twenty-Third International
14-18 Oct. 2001 Page(s):294 - 300

AbstractPlus | Full Text: PDF(947 KB)   IET CNF

20. Power-frequency magnetic shielding of heavy-current conductors by rectangular shields
Du, Y.; Burnett, J.;
Generation, Transmission and Distribution, IEE Proceedings-
Volume 146, Issue 3, May 1999 Page(s):223 - 228
Digital Object Identifier 10.1049/ip-gtd:19990361

AbstractPlus | Full Text: PDF(376 KB)   IET JNL

Help   Contact Us   Privacy & Security   IEEE.org

IEEE *Xplore*®
RELEASE 2.4

Welcome United States Patent and Trademark Office

□ Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((digital and content and key and protection)<in>metadata)) <and> (pyr >= 1950 <a..."   ✉ e-mail   🖨 printer friendly
Your search matched **12** of **1625854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

| (((digital and content and key and protection)<in>metadata)) <and> (pyr >= 1950 <an | Search 》 |

□ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[view selected items]   **Select All Deselect All**

□   1. **A key transport protocol based on secret sharing applications to information security**
Eskicioglu, A.M.; Delp, E.J.;
Consumer Electronics, IEEE Transactions on
Volume 48, Issue 4, Nov 2002 Page(s):816 - 824
Digital Object Identifier 10.1109/TCE.2003.1196407
AbstractPlus | Full Text: PDF(677 KB)   IEEE JNL
Rights and Permissions

□   2. **Content protection and usage control for digital music**
Changsheng Xu; Yongwei Zhu; Feng, D.D.;
Web Delivering of Music, 2001. Proceedings. First International Conference on
23-24 Nov. 2001 Page(s):43 - 50
AbstractPlus | Full Text: PDF(279 KB)   IEEE CNF
Rights and Permissions

□   3. **Rights protection for digital contents redistribution over the Internet**
Cheung, S.C.; Curreem, H.;
Computer Software and Applications Conference, 2002. COMPSAC 2002. Proceedings. 26th
Annual International
26-29 Aug. 2002 Page(s):105 - 110
Digital Object Identifier 10.1109/CMPSAC.2002.1044539
AbstractPlus | Full Text: PDF(434 KB)   IEEE CNF
Rights and Permissions

□   4. **Digital rights management and watermarking of multimedia content for m-commerce applications**
Hartung, F.; Ramme, F.;
Communications Magazine, IEEE
Volume 38, Issue 11, Nov. 2000 Page(s):78 - 84
Digital Object Identifier 10.1109/35.883493
AbstractPlus | References | Full Text: PDF(96 KB)   IEEE JNL
Rights and Permissions

□   5. **k-time encryption for k-time licensing**
Perkins, G.; Bhattacharya, P.;
Multimedia and Expo, 2002. ICME '02. Proceedings. 2002 IEEE International Conference on
Volume 1, 26-29 Aug. 2002 Page(s):601 - 604 vol.1
Digital Object Identifier 10.1109/ICME.2002.1035853
AbstractPlus | Full Text: PDF(442 KB)   IEEE CNF
Rights and Permissions

6. **Wavelet packet and adaptive spatial transformation of watermark for digital image authentication**
Min-Jen Tsai; Kuang-Yao Yu; Yi-Zhang Chen;
Image Processing, 2000. Proceedings. 2000 International Conference on
Volume 1, 10-13 Sept. 2000 Page(s):450 - 453 vol.1
Digital Object Identifier 10.1109/ICIP.2000.900992

AbstractPlus | Full Text: PDF(396 KB)   IEEE CNF
Rights and Permissions

7. **A buyer-seller watermarking protocol**
Memon, N.; Ping Wah Wong;
Multimedia Signal Processing, 1998 IEEE Second Workshop on
7-9 Dec. 1998 Page(s):291 - 296
Digital Object Identifier 10.1109/MMSP.1998.738949

AbstractPlus | Full Text: PDF(328 KB)   IEEE CNF
Rights and Permissions

8. **Toward secure public-key blockwise fragile authentication watermarking**
Barreto, P.S.L.M.; Kim, H.Y.; Rijmen, V.;
Vision, Image and Signal Processing, IEE Proceedings-
Volume 149, Issue 2, April 2002 Page(s):57 - 62

AbstractPlus | Full Text: PDF(504 KB)   IET JNL

9. **An optical watermarking solution for authenticating printed documents**
Sun, Q.B.; Feng, P.R.; Deng, R.;
Information Technology: Coding and Computing, 2001. Proceedings. International Conference on
2-4 April 2001 Page(s):65 - 70
Digital Object Identifier 10.1109/ITCC.2001.918767

AbstractPlus | Full Text: PDF(488 KB)   IEEE CNF
Rights and Permissions

10. **Toward a secure public-key blockwise fragile authentication watermarking**
Barreto, P.S.L.M.; Hae Yong Kim; Rijmen, V.;
Image Processing, 2001. Proceedings. 2001 International Conference on
Volume 2, 7-10 Oct. 2001 Page(s):494 - 497 vol.2
Digital Object Identifier 10.1109/ICIP.2001.958536

AbstractPlus | Full Text: PDF(448 KB)   IEEE CNF
Rights and Permissions

11. **A new watermarking method of digital audio content for copyright protection**
Ye Wang;
Signal Processing Proceedings, 1998. ICSP '98. 1998 Fourth International Conference on
Volume 2, 12-16 Oct. 1998 Page(s):1420 - 1423 vol.2
Digital Object Identifier 10.1109/ICOSP.1998.770887

AbstractPlus | Full Text: PDF(272 KB)   IEEE CNF
Rights and Permissions

12. **Watermark embedded DCT indexing keys for portable imaging devices**
Armstrong, A.; Jiang, J.;
Consumer Electronics, 2002. ICCE. 2002 Digest of Technical Papers. International Conference on
18-20 June 2002 Page(s):126 - 127
Digital Object Identifier 10.1109/ICCE.2002.1013958

AbstractPlus | Full Text: PDF(328 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
Inspec°

IEEE Xplore ®
RELEASE 2.4

□ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(((interchip and key)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)"   ✉e-mail 🖨 printer friendly
Your search matched **6** of **1625854** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((interchip and key)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)	Search ᐳ

⌐ Check to search only within this results set

Display Format: ⦿ Citation ⊂ Citation & Abstract

[view selected items]   **Select All** **Deselect All**

☐ 1. **Average bit-error-rate performance of band-limited DS/SSMA communications**
Joon Ho Cho; Jeong, Y.K.; Lehnert, J.S.;
Communications, IEEE Transactions on
Volume 50, Issue 7, July 2002 Page(s):1150 - 1159
Digital Object Identifier 10.1109/TCOMM.2002.800824

AbstractPlus | References | Full Text: PDF(461 KB)   IEEE JNL
Rights and Permissions

☐ 2. **A novel and efficient routing architecture for multi-FPGA systems**
Khalid, M.A.S.; Rose, J.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 8, Issue 1, Feb. 2000 Page(s):30 - 39
Digital Object Identifier 10.1109/92.820759

AbstractPlus | References | Full Text: PDF(172 KB)   IEEE JNL
Rights and Permissions

☐ 3. **Performance evaluation for GMSK DS/SSMA systems based on a closed-form expression for output SNR**
Park, S.; Park, S.-C.; Lee, K.;
Electronics Letters
Volume 38, Issue 12, 6 June 2002 Page(s):599 - 600

AbstractPlus | Full Text: PDF(267 KB)   IET JNL

☐ 4. **The effect of chip waveform on the performance of CDMA systems in multipath, fading, noisy channels**
Anjaria, R.; Wyrwas, R.;
Vehicular Technology Conference, 1992 IEEE 42nd
10-13 May 1992 Page(s):672 - 675 vol.2
Digital Object Identifier 10.1109/VETEC.1992.245483

AbstractPlus | Full Text: PDF(312 KB)   IEEE CNF
Rights and Permissions

☐ 5. **3D optical interconnects for high-speed interchip and interboard communications**
Louri, A.; Hongki Sung;
Computer
Volume 27, Issue 10, Oct. 1994 Page(s):27 - 37
Digital Object Identifier 10.1109/2.318581

AbstractPlus | Full Text: PDF(1192 KB)   IEEE JNL
Rights and Permissions

☐ 6. **Thermal design of an advanced multichip module for a RISC processor**

Garg, A.; Sham, T.-L.; Greub, H.; Loy, J.; McDonald, J.F.;
Computer Design: VLSI in Computers and Processors, 1994. ICCD '94. Proceedings., IEEE International Conference on
10-12 Oct. 1994 Page(s):608 - 611
Digital Object Identifier 10.1109/ICCD.1994.331987

AbstractPlus | Full Text: PDF(364 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
Inspec®